




# BEARINGS(UK)LTD.



## 7 mm x 17 mm x 5 mm skf 619/7 Deep groove ball bearings

Bearing No. 619/7

619/7 Bearing 2D drawings and 3D CAD models

Size	7x17x5 mm
Bore Diameter	7 mm
Outer Diameter	17 mm
Width	5 mm
d	7 mm
D	17 mm
B	5 mm
C	5 mm
d1	10,4 mm
r1 min.	0,3 mm
r2 min.	0,3 mm
D1	13,6 mm
D2	14,3 mm
da min.	9 mm
Da max.	15 mm
rc max.	0,3 mm
Weight	0,0049 Kg
Basic dynamic load rating (C)	1,06 kN
Basic static load rating (C0)	0,375 kN
Fatigue load limit (Pu)	0,016
Reference speed	90000 r/min
Limiting speed	56000 r/min
Calculation factor (f0)	7,3
Category	Single Row Ball Bearings
Inventory	0.0



## BEARINGS(UK)LTD.

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.001
EAN	7316577121837
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	7MM Bore; 17MM Outside Diameter; 5MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	619/7
Weight / LBS	0.01
Outer Race Width	0.197 Inch   5 Millimeter
Outside Diameter	0.669 Inch   17 Millimeter
Bore	0.276 Inch   7 Millimeter
d <sub>1</sub>	10.4 mm



## BEARINGS(UK)LTD.

$D_2$	14.3 mm
$r_{1,2}$ min.	0.3 mm
$d_a$ min.	9 mm
$D_a$ max.	15 mm
$r_a$ max.	0.3 mm
Basic dynamic load rating C	1.06 kN
Basic static load rating $C_0$	0.375 kN
Fatigue load limit $P_u$	0.016 kN
Calculation factor $k_r$	0.02
Calculation factor $f_0$	7.3
Mass bearing	0.0049 kg