



BEARINGS(UK)LTD.

4.438 Inch | 112.725 Millimeter x 2.00 in x 16.5
in timken SAF 23026K Inch Tapered Bore
Mounting Pillow Block SAF230K and SDAF230K
Series



Bearing No. SAF 23026K

SAF 23026K Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	34.5
EAN	0087796210783
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	23026K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row
Long Description	4 Bolt Pillow Block; 4-7/16" Bore; 4-15/16" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing;



BEARINGS(UK)LTD.

	12-5/8" Minimum Bolt Spacing; 14-1/2" Bolt Spacing Maximum
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SAF 23026K
Weight / LBS	76
Actual Bolt Center to Center	0 Inch 0Millimeter
Bolt Spacing Minimum	12.625 Inch 320.675Millimeter
D	6.375 Inch 161.925 Millimeter
Nominal Bolt Center to Center	13.6 Inch 344.5 Millimeter
Bolt Spacing Maximum	14.5 Inch 368.3Millimeter
B	4.938 Inch 125.425 Millimeter
d	4.438 Inch 112.725 Millimeter
Diameter S-1	4 7/16 in
Adapter Assembly Number ¹	SNW-3026 x 4-7/16
Housing Only ²	SAF026K
A	4.9375 in
B	16.5 in
C	4.750 in
D	2.00 in
F	2.75 in
H	9.5625 in
Bolt Hole Length	1.6875 in
Bolt Hole Width	0.750 in



BEARINGS(UK)LTD.

E Max.	14.5000 in
E Min.	12.6250 in
Stabilizing Ring 1 Req ^d	SR-22-19
Triple Seal Req ^d	LOR 117
Assembly Weight	76 lb
Bolt Holes	4
Full Timken Part Number	SAF23026K
Seal Type	Triple Ring Seal