



BEARINGS(UK)LTD.



7.188 Inch | 182.575 Millimeter x 2.7500 in x 24.75 in timken SAF 23040K Inch Tapered Bore Mounting Pillow Block SAF230K and SDAF230K Series

Bearing No. SAF 23040K

SAF 23040K Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	133.93
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1 Inch
Relubricatable	Yes
Insert Part Number	23040K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row
Long Description	4 Bolt Pillow Block; 7-3/16" Bore; 7-1/16" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 19-3/8" Minimum Bolt Spacing; 21-5/8" Bolt Spacing



BEARINGS(UK)LTD.

	Maximum
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SAF 23040K
Weight / LBS	295
D	9.375 Inch 238.125 Millimeter
Bolt Spacing Minimum	19.375 Inch 492.125Millimeter
Nominal Bolt Center to Center	20.5 Inch 520.7 Millimeter
B	7.063 Inch 179.4 Millimeter
Bolt Spacing Maximum	21.625 Inch 549.275Millimeter
d	7.188 Inch 182.575 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Diameter S-1	7 3/16 in
Adapter Assembly Number ¹	SNW-3040 x 7-3/16
Housing Only ²	SAF040K
A	7.0625 in
B	24.75 in
C	6.750 in
D	2.7500 in
F	4.25 in
H	14.5625 in
Bolt Hole Length	2.125 in
Bolt Hole Width	1.000 in



BEARINGS(UK)LTD.

E Max.	21.6250 in
E Min.	19.3750 in
Stabilizing Ring 1 Req ^d	SR-34- 0
Triple Seal Req ^d	LOR 159
Assembly Weight	295.000 lb
Bolt Holes	4
Full Timken Part Number	SAF23040K
Seal Type	Triple Ring Seal