



BEARINGS(UK)LTD.



5.938 Inch | 150.825 Millimeter x 2.50 in x 24.75
in timken SDAF 22534 Inch Tapered Bore
Mounting Pillow Block SDAF225 and SDAF226
Series

Bearing No. SDAF 22534

SDAF 22534 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	140.74
EAN	0087796309845
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-1/4 Inch
Relubricatable	Yes
Insert Part Number	22234K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row Heavy Duty
Long Description	4 Bolt Pillow Block; 5-15/16" Bore; 7-1/16" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing;



BEARINGS(UK)LTD.

	19-3/8" Minimum Bolt Spacing; 21-5/8" Bolt Spacing Maximum
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	SDAF 22534
Weight / LBS	310
Bolt Spacing Maximum	21.625 Inch 549.275Millimeter
Bolt Spacing Minimum	19.375 Inch 492.125Millimeter
B	7.063 Inch 179.4 Millimeter
Nominal Bolt Center to Center	20.5 Inch 520.7 Millimeter
d	5.938 Inch 150.825 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
D	9.625 Inch 244.475 Millimeter
Diameter S-1	5 15/16 in
A	7.0625 in
B	24.75 in
C	9.000 in
D	2.50 in
E Max.	21.6250 in
E Min.	19.3750 in
F	5.5 in
H ¹	14.2500 in
Oil Level K	2.3125 in



BEARINGS(UK)LTD.

L ²	9.6250 in
Y	2.9219 in
No. of Base Bolts Required	4
Size of Base Bolts Required	1.25 in
Adapter Assembly Number ³	SNW-34 x 5-15/16
Housing Only ⁴	SDAF534
Bolt Hole Length	2.375 in
Bolt Hole Width	1.250 in
Assembly Weight	310.000 lb
Triple Seal 2 Req ' d	LOR 140
Full Timken Part Number	SDAF22534